

IN THE DRAWINGS:

The attached Replacement Sheets of drawings include changes to Figures 1-10C.

These Replacement Sheets have been prepared to correct minor typographical errors, add arrowheads to certain flowcharts and formalize the drawings. Particularly, in Figure 6A: "t5" has been replaced with "t4" to correct an obvious typographical error. In Figures 6, 7 and 8, arrowheads have been added. Additionally, in Figure 7, the direction of the line between S706 and S708 has been corrected to point in the direction of the program flow. Support for these changes can be found in the specification at page 11, line 1 through page 14, line 22. Figures 1-5 and 9-10C have been redrawn to improve their form.

Attachments: Replacement Sheets

Annotated Sheets showing changes to Figs. 1, 6, 6A, 7, and 8

REMARKS

This application has been reviewed in light of the Office Action dated January 11, 2007. Claims 62 and 65-83 remain pending in this application. Claims 1-61 and 63-64 have been canceled, without prejudice or disclaimer of the subject matter presented therein. Claims 65-83 have been added to provide Applicants with a more complete scope of protection.

First, Applicants gratefully acknowledge the indication that Claim 62 includes allowable subject matter.

Applicants submit that the added claims are dependent from Claim 62 and therefore are allowable for at least the same reasons as Claim 62.

Submitted herewith are Replacement Sheets which include changes to Figures 1-10C. These Replacement Sheets have been prepared to correct minor typographical errors, add arrowheads to certain flowcharts and formalize the drawings. Particularly, in Figure 6A: "t5" has been replaced with "t4" to correct an obvious typographical error. In Figures 6, 7 and 8, arrowheads have been added. Additionally, in Figure 7, the direction of the line between S706 and S708 has been corrected to point in the direction of the program flow. Support for these changes can be found in the specification at page 11, line 1 through page 14, line 22. Figures 1-5 and 9-10C have been redrawn to improve their form. Applicants submit that the replacement sheets contain no substantive changes and that no new matter has been added to the original disclosure. Approval of the amended drawings is respectfully requested.

Accordingly, Applicants respectfully submit that Claims 62 and 65-83 are in condition for allowance and request passage to issue of the present application.

Applicants' undersigned attorney may be reached in our New York Office by telephone at (212) 218-2100. All correspondence should continue to be directed to our address listed below.

Respectfully submitted,

/Jonathan Berschadsky/
Jonathan Berschadsky
Attorney for Applicants
Registration No. 46,551

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
Facsimile: (212) 218-2200

NY_MAIN 622147v1